

# CATFORD ENGINEERING PRODUCTS

Jamestown  
SA 5491

Phone: 0418 641 566

www.catford.com.au sales@catford.com.au

## Two Braid, Non-skive Hydraulic Hose SAE R2AT/2SN

**Tube:** Oil resistant synthetic rubber

**Reinforcement:** Two braid of high-tensile steel wire.

**Cover:** Black, abrasion and weather resistant synthetic rubber. MSHA accepted.

**Application:** Hose range suitable to carry hydraulic fluids such as glycol, mineral oils, water, fuels, lubricants, emulsion, hydrocarbons etc, to realize the conveying of liquid and the transmission of hydraulic power.

**Working temperature:** -40°C ----- +100°C



## Two Braid of High-tensile Steel Wire Non-skive Hose

DN	Hose I.D		Wire O.D	Hose O.D	Working Pressure		Burst Pressure		Minimum Bend Radius	Weight	Length Per Roll	Price Per Roll Inc. GST
	INCH	MM	MM	MM	MPA	PSI	MPA	PSI	MM	KG/M	METRE	
6	1/4	6.4	12.7	15.0	40.0	5800	160	22840	102	0.36	50	\$440
6	1/4	6.4	12.7	15.0	40.0	5800	160	22840	102	0.36	100	\$880
10	3/8	9.5	16.7	19.0	33.1	4800	132	18840	127	0.54	50	\$495
10	3/8	9.5	16.7	19.0	33.1	4800	132	18840	127	0.54	100	\$990
13	1/2	12.7	19.8	22.2	27.6	4000	110	15720	178	0.68	50	\$605
13	1/2	12.7	19.8	22.2	27.6	4000	110	15720	178	0.68	100	\$1,210
16	5/8	15.9	23	25.4	25.0	3630	100	14280	203	0.8	50	\$715
19	3/4	19.0	27	29.3	21.5	3120	85	12280	241	0.94	40	\$682
25	1	25.4	34.9	38.0	16.5	2400	65	9420	305	1.35	50	\$1,100



*"A 100% Australian Owned & Operated Company"*

**Two Wire Braid Non-skive Hydraulic Hose**

**Price per Metre under 50 Metres**

1/4" Price Per Metre **\$11.00**

5/8" Price Per Metre **\$16.50**

3/8" Price Per Metre **\$13.00**

3/4" Price Per Metre **\$20.50**

1/2" Price Per Metre **\$14.50**


1" Price Per Metre **\$27.00**



**1/4" 3/8" 1/2" 5/8"  
3/4" & 1" size hose**

**All Prices Including GST**

**Catford Two Wire Braid Non-skive  
Hydraulic SAE100R2AT Hose**



Mobile: 0418 641566

Email: [sales@catford.com.au](mailto:sales@catford.com.au)

Website: [www.catford.com.au](http://www.catford.com.au)

**SAE100R2AT — 3/8" — W.P. 4800PSI**