

Jamestown
SA 5491

Phone: 0418 641 566

www.catford.com.au sales@catford.com.au

***Steel Tanks *Lids & Gaskets
*Push In & Threaded Filler Breathers
*Sight Gauges & Diffusers *Level Gauges
*Suction Strainers**





Lot 25, Mannanarie Road, Jamestown, South Australia 5491



0418 641 566



sales@catford.com.au

Due to fluctuations in the Australian dollar and the economic climate, please be advised that all prices are subject to change.
Please contact us to confirm pricing.

All prices stated within are exclusive of GST
(All prices are correct as of January 1st 2023, but Catford Engineering reserve the right to change these prices without notice)

Tanks & Tank Accessories

CATFORD Jamestown
SA 5491
ENGINEERING
PRODUCTS

Phone: 0418 641 566


www.catford.com.au sales@catford.com.au

Industrial Steel Tanks



Part #	List Price \$		Useable Litres	Volume	Tank Size mm			Total Unit Height mm
	Uncoated	Coated			L	W	H	
SE10LT	275.00	n/a	10 L	12 L	310	240	207	225
IT-25	996.00	1112.00	25 L	28 L	360	360	220	225
IT-40	1183.00	1260.00	40 L	60 L	500	350	350	450
IT-70	1397.00	1503.00	70 L	100 L	600	425	400	500
IT-120	1892.00	2120.00	120 L	165 L	700	500	475	575
IT-200	2085.00	2418.00	200 L	260 L	800	600	550	650
IT-300	2379.00	2795.00	300 L	380 L	900	700	600	700
IT-400	2826.00	3171.00	400 L	500 L	900	700	800	900

Note: for COATED option, add "C" to end of part number, e.g. IT-25C



Tank Lid Gaskets




Part #	List Price \$	Material	Size
GUS10	22.00	Paper	To suit 10 L tank
ITG-25C	72.00	Cork	To suit 25 L tank
ITG-40C	85.00	Cork	To suit 40 L tank
ITG-70C	124.00	Cork	To suit 70 L tank
ITG-120C	143.00	Cork	To suit 120 L tank
ITG-200C	248.00	Cork	To suit 200 L tank
ITG-300C	293.00	Cork	To suit 300/400 L tank



Tank Lid - Uncoated and Uncut



Part #	List Price \$	Description
ITL10	180.00	Lid for 10 L tanks - uncoated and lid bolt holes only
ITL25	215.00	Lid for 25 L tanks - uncoated and lid bolt holes only
ITL40	251.00	Lid for 40 L tanks - uncoated and lid bolt holes only
ITL70	299.00	Lid for 70 L tanks - uncoated and lid bolt holes only
ITL120	414.00	Lid for 120 L tanks - uncoated and lid bolt holes only
ITL200	462.00	Lid for 200 L tanks - uncoated and lid bolt holes only
ITL300	638.00	Lid for 300/400 L tanks - uncoated and lid bolt holes only



Suction Butterfly Valves - see page 259

Tank Lids - Coated & Cut



Part #	List Price \$	Tank Size	Motor Size	Breather	Filter	Manifold
ITL10-90-M3	180.00	10 L	D80-90	FB3	n/a	2-6 Cetop3 valves
ITL10-90-M3-S3	180.00	10 L	D80-90	FB3	n/a	P+T or single Cetop3 valve
ITL10-RFB	180.00	10 L	n/a	FB3	TIFP04	n/a
ITL25-71-M3	215.00	25 L	D71	FB3	FIF-04	2-6 Cetop3 valves
ITL25-71-S3	215.00	25 L	D71	FB3	FIF-04	P+T or single Cetop3 valve
ITL25-90-M3	215.00	25 L	D80-90	FB3	FIF-04	2-6 Cetop3 valves
ITL25-90-S3	215.00	25 L	D80-90	FB3	FIF-04	P+T or single Cetop3 valve
ITL25-100-M3	215.00	25 L	D100-112	FB3	FIF-04	2-6 Cetop3 valves
ITL25-100-S3	215.00	25 L	D100-112	FB3	FIF-04	P+T or single Cetop3 valve
ITL25-RFB	215.00	25 L	n/a	FB6	TIFP04	n/a
ITL40-71-M3	251.00	40 L	D71	FB3	FIF-04	2-6 Cetop3 valves
ITL40-71-S3	251.00	40 L	D71	FB3	FIF-04	P+T or single Cetop3 valve
ITL40-90-M3	251.00	40 L	D80-90	FB3	FIF-04	2-6 Cetop3 valves
ITL40-90-S3	251.00	40 L	D80-90	FB3	FIF-04	P+T or single Cetop3 valve
ITL40-100-M3	251.00	40 L	D100-112	FB3	FIF-04	2-6 Cetop3 valves
ITL40-100-S3	251.00	40 L	D100-112	FB3	FIF-04	P+T or single Cetop3 valve
ITL40-RFB-TIFP06	251.00	40 L	n/a	FB6	TIFP06	n/a
ITL70-90-M3	299.00	70 L	D80-90	FB6	FIF-06/08	2-6 Cetop3 valves
ITL70-90-S3	299.00	70 L	D80-90	FB6	FIF-06/08	P+T or single Cetop3 valve
ITL70-100-M3	299.00	70 L	D100-112	FB6	FIF-06/08	2-6 Cetop3 valves
ITL70-100-S3	299.00	70 L	D100-112	FB6	FIF-06/08	P+T or single Cetop3 valve
ITL70-132-M3	299.00	70 L	D132	FB6	FIF-06/08	2-6 Cetop3 valves
ITL70-132-S3	299.00	70 L	D132	FB6	FIF-06/08	P+T or single Cetop3 valve
ITL70-RFB	299.00	70 L	n/a	FB6	TIFP06	n/a
ITL120-100-M3	414.00	120 L	D100-112	FB6	FIF-06/08	2-6 Cetop3 valves
ITL120-100-S3	414.00	120 L	D100-112	FB6	FIF-06/08	P+T or single Cetop3 valve
ITL120-132-M3	414.00	120 L	D132	FB6	FIF-06/08	2-6 Cetop3 valves
ITL120-132-S3	414.00	120 L	D132	FB6	FIF-06/08	P+T or single Cetop3 valve
ITL120-160-M5	414.00	120 L	D160-180	FB6	FIF-10	2-6 Cetop3 valves
ITL120-160-S5	414.00	120 L	D160-180	FB6	FIF-10	P+T or single Cetop3 valve
ITL120-RFB	414.00	120 L	n/a	FB6	TIFP10	n/a
ITL200-132-M5	462.00	200 L	D132	FB6	FIF-10	2-6 Cetop5 valves
ITL200-132-S5	462.00	200 L	D132	FB6	FIF-10	P+T or single Cetop5 valve
ITL200-160-M5	462.00	200 L	D160-180	FB6	FIF-10	2-6 Cetop5 valves
ITL200-160-S5	462.00	200 L	D160-180	FB6	FIF-10	P+T or single Cetop5 valve
ITL200-RFB	462.00	200 L	n/a	FB6	TIFP10	n/a
ITL300-160-M5	638.00	300-400 L	D160-180	FB6	FIF-10	2-6 Cetop5 valves
ITL300-160-S5	638.00	300-400 L	D160-180	FB6	FIF-10	P+T or single Cetop5 valve
ITL300-RFB	638.00	300-400 L	n/a	FB6	TIFP10	n/a
ITL300-200-M5	700.00	300-400 L	D200	FB6	TIFP10	2-6 Cetop5 valves
ITL300-200-S5	700.00	300-400 L	D200	FB6	TIFP10	P+T or single Cetop5 valve
ITL300-225-M5	700.00	300-400 L	D225	FB6	TIFP10	2-6 Cetop5 valves
ITL300-225-S5	700.00	300-400 L	D225	FB6	TIFP10	P+T or single Cetop5 valve
ITL300-250-M5	700.00	300-400 L	D250	FB6	TIFP10	2-6 Cetop5 valves
ITL300-250-S5	700.00	300-400 L	D250	FB6	TIFP10	P+T or single Cetop5 valve

Suction Butterfly Valves

Part #	List Price \$	Size	Max Working Pressure	Differential Pressure
SDA0040	496.00	DIN40 SAE 1.1/2"	7 bar	6 bar
SDA0050	552.00	DIN50 SAE 2"	7 bar	6 bar
SDA0063	580.00	DIN65 SAE 2.1/2"	7 bar	6 bar
SDA0080	646.00	DIN80 SAE 3"	7 bar	6 bar
SDA0100	777.00	DIN100 SAE 4"	7 bar	6 bar
SDA0125	908.00	DIN125 SAE 5"	7 bar	6 bar

SDA Series (front)



SDA Series (back)




SDAET Series



Adaptor Flange

Part #	List Price \$	Description	Material
SDAET040K	215.00	Adaptor NG40	ST37 Steel
SDAET063K	234.00	Adaptor NG50 & 63	ST37 Steel
SDAET080K	253.00	Adaptor NG80	ST37 Steel
SDAET100K	337.00	Adaptor NG100	ST37 Steel
SDAET125K	402.00	Adaptor NG125	ST37 Steel



Compensators - SAE

Part #	List Price \$	Size	Material	Max Working Pressure
SDKSS025	400.00	NG25 SAE 1"	NBR/CR Steel	1.5 bar (absolute)
SDKSS032	415.00	NG32 SAE 1.1/4"	NBR/CR Steel	1.5 bar (absolute)
SDKSS040	415.00	NG40 SAE 1.1/2"	NBR/CR Steel	1.5 bar (absolute)
SDKSS050	474.00	NG50 SAE 2"	NBR/CR Steel	1.5 bar (absolute)
SDKSS063	502.00	NG63 SAE 2.1/2"	NBR/CR Steel	1.5 bar (absolute)
SDKSS080	553.00	NG80 SAE 3"	NBR/CR Steel	1.5 bar (absolute)
SDKSS092	619.00	NG90 SAE 3.1/2"	NBR/CR Steel	1.5 bar (absolute)
SDKSS100	748.00	NG100 SAE 4"	NBR/CR Steel	1.5 bar (absolute)
SDKSS126	996.00	NG125 SAE 5"	NBR/CR Steel	1.5 bar (absolute)

SAE Series



DIN Series





Compensators - DIN



Part #	List Price \$	Size	Material	Nominal Pressure
SDKHDD6D60032N00	549.00	NG32	NBR/CR Steel	Up to 16 bar
SDKHDD6D60040N00	572.00	NG40	NBR/CR Steel	Up to 16 bar
SDKHDD6D60050N00	656.00	NG50	NBR/CR Steel	Up to 16 bar
SDKHDD6D60065N00	801.00	NG65	NBR/CR Steel	Up to 16 bar
SDKHDD6D60080N00	992.00	NG80	NBR/CR Steel	Up to 16 bar
SDKHDD6D60100N00	1176.00	NG100	NBR/CR Steel	Up to 16 bar
SDKHDD6D60125N00	1693.00	NG125	NBR/CR Steel	Up to 16 bar
SDKHDD6D60200N00	3419.00	NG200	NBR/CR Steel	Up to 16 bar
SDKHDD6D60300N00	6510.00	NG300	NBR/CR Steel	Up to 16 bar

Limit Switches

Part #	List Price \$	Description
EAFSMK	102.00	Mechanical Limit Switch
EAFSIK	170.00	Inductive Limit Switch



EAFSMK




EAFSIK

Magnetic Oil Drain Plugs



Part #	List Price \$	Thread	Dimensions mm				
			g	h	f	t	d
TCEM0G	15.00	1/8" BSPP	3	4	8	3	14
TCEM1G	15.00	1/4" BSPP	5	5	12	3	18
TCEM2G	16.00	3/8" BSPP	5	5	12	3	22
TCEM3G	21.00	1/2" BSPP	6	5	14	4	26
TCEM4G	32.00	3/4" BSPP	10	6	16	4	32
TCEM5G	38.00	1" BSPP	10	6	16	5	40
TCEM6G	75.00	1.1/4" BSPP	15	10	16	5	49


Note: includes metal washer



Magnetic Oil Filter Rods




Part #	List Price \$	Thread	Dimensions mm				
			t	f	l	h	g
FMC1G	88.00	3/8" BSPP	7	10	80	70	9
FMC2G	108.00	1/2" BSPP	8.5	10	95	85	12
FMC3G	141.00	3/4" BSPP	9.5	12	102	90	17
FMC4G	178.00	1" BSPP	9.5	14	104	90	17




Filler Breathers

Part #	List Price \$	Thread	Filler	Breather	Material	Dimensions mm						
						d	g	f	h	i	c	e
TRTCSF/Z	92.00	1" BSPP	800 µm	40 µm	Aluminium	45	33.3	14	42	82	25	40
TRTCSF/Z-NUT	10.00	Backing nuts to suit M12x1.75 thread (sold individually)										



Threaded Breathers

Part #	List Price \$	Thread	Material	Dimensions mm				
				h	f	i	g	d
TCLS/Z1G	18.00	1/4" BSPP	Aluminium	12	8	120	5	22
TCLS/Z2G	19.00	3/8" BSPP	Aluminium	13.5	10	170	5	26
TCLS/Z3G	22.00	1/2" BSPP	Aluminium	16.5	10	170	5	30
TCLS/Z4G	30.00	3/4" BSPP	Aluminium	21.5	12	200	5	40
TCLS/Z5G	43.00	1" BSPP	Aluminium	21.5	14	200	5	45




Filler Breathers


Part #	List Price \$	Maximum Flow	Micron	Mount	Material
FB3	31.00	90 lpm	10 µm	3 bolt - PCD 41.3mm	Chrome Steel
FB6	48.00	400 lpm	10 µm	6 bolt - PCD 71.5mm	Chrome Steel
FSBP	64.00	400 lpm	10 µm	6 bolt - PCD 71.5mm	Polyamide
FB6LT	58.00	400 lpm	10 µm	6 bolt - PCD 71.5mm, lock tab	Chrome Steel
FB6HN	66.00	400 lpm	10 µm	6 bolt - PCD 71.5mm, high neck	Chrome Steel
FB6P5	73.00	400 lpm	10 µm	6 bolt - PCD 71.5mm, pressure valve 5psi	Chrome Steel
FB6SM	90.00	400 lpm	10 µm	6 bolt - side mount	Ch.Steel/Aluminium
PB25	37.00	720 lpm	40 µm	Push fit 1-1/2"	Chrome Steel




3 Bolt



6 Bolt



Side Mount



Threaded Breathers

Part #	List Price \$	Maximum Flow	Micron	Thread	Material
TB14	24.00	90 lpm	10 µm	1/4" BSPP	Chrome/Steel
TB38	24.00	90 lpm	10 µm	3/8" BSPP	Chrome/Steel
TB12	43.00	400 lpm	10 µm	1/2" BSPP	Chrome/Steel
TB34	42.00	400 lpm	10 µm	3/4" BSPP	Chrome/Steel
TB34P5	64.00	400 lpm	10 µm	3/4" BSPP	Chrome/Steel
TB1	51.00	400 lpm	10 µm	1" BSPP	Chrome/Steel
TB114	81.00	1000 lpm	10 µm	1.1/4" BSPP	Polyamide
TB112	81.00	1000 lpm	10 µm	1.1/2" BSPP	Polyamide
TB2	109.00	2000 lpm	10 µm	2" BSPP	Polyamide
TB212	153.00	4000 lpm	10 µm	2.1/2" BSPP	Polyamide
ABP03B	10.00	n/a	40 µm	3/8" BSPP	Polyamide
ABP04B	11.00	n/a	40 µm	1/2" BSPP	Polyamide
ABP06B	15.00	n/a	40 µm	3/4" BSPP	Polyamide
ABP08B	19.00	n/a	40 µm	1" BSPP	Polyamide



TB12



TB2





APB

Suction Strainer

Part #	List Price \$	Micron	Flow	Dimensions mm			
				A	B	C	A/F
SS14	22.00	149 µm	8 lpm	1/4" BSPP	90	46	24
SS38	24.00	149 µm	12 lpm	3/8" BSPP	90	46	24
SS12	25.00	149 µm	20 lpm	1/2" BSPP	105	46	30
SS34	32.00	149 µm	28 lpm	3/4" BSPP	109	64	35
SS1	33.00	149 µm	40 lpm	1" BSPP	139	64	46
SS114	46.00	149 µm	60 lpm	1.1/4" BSPP	139	86	51
SS112	58.00	149 µm	120 lpm	1.1/2" BSPP	200	86	60
SS2	70.00	149 µm	160 lpm	2" BSPP	235	100	70
SS212	121.00	149 µm	300 lpm	2.1/2" BSPP	211	150	90
SS3	149.00	149 µm	400 lpm	3" BSPP	272	150	100



Suction Strainer with Bypass

Part #	List Price \$	Micron	Flow	Bypass Pressure	Dimensions mm			
					A	B	C	A/F
SS14B3	29.00	149 µm	8 lpm	3 psi	1/4" BSPP	90	46	24
SS38B3	31.00	149 µm	12 lpm	3 psi	3/8" BSPP	90	46	24
SS12B3	33.00	149 µm	20 lpm	3 psi	1/2" BSPP	105	46	30
SS34B3	41.00	149 µm	28 lpm	3 psi	3/4" BSPP	109	64	35
SS1B3	44.00	149 µm	40 lpm	3 psi	1" BSPP	139	64	46
SS114B3	59.00	149 µm	60 lpm	3 psi	1.1/4" BSPP	139	86	51
SS112B3	74.00	149 µm	80 lpm	3 psi	1.1/2" BSPP	168	86	60



Diffusers

Part #	List Price \$	Material Litres	Size
DIF34	33.00	3/4" BSPP	50 lpm
DIF1	47.00	1" BSPP	100 lpm
DIF114	51.00	1.1/4" BSPP	200 lpm




Venting Plug



Part #	List Price \$	Thread	Pressure	Material	Dimensions mm		
					t	f	e
TSVV1G	27.00	1/4" BSPP	0-10 bar	Aluminium	10	10	17
TSVV2G	28.00	3/8" BSPP	0-10 bar	Aluminium	10	10	22
TSVV3G	35.00	1/2" BSPP	0-10 bar	Aluminium	10	10	27

Normally closed to atmosphere, with 2-way adjustable venting




Sight Gauges



Part #	List Price \$	Thread	Material	Dimensions mm				
				f	t	v	e	c
IFC0G	17.00	3/8" BSPP	Aluminium	9	6	16	24	9
IFC1G	19.00	1/2" BSPP	Aluminium	10	9.5	16	27	9
IFC2G	21.00	3/4" BSPP	Aluminium	11	10	16	32	9
IFC3G	29.00	1" BSPP	Aluminium	14	10	19	40	13
IFC4G	56.00	1.1/4" BSPP	Aluminium	15	10.5	25	50	17
IFC5G	64.00	1.1/2" BSPP	Aluminium	15	10.5	33	55	23
IFC6G	122.00	2" BSPP	Aluminium	15	14	36	70	24

IFC Series



TLA Series

Sight Gauges







Part #	List Price \$	Thread	Material	Dimensions mm			
				f	t	v	e
TLA1G	12.00	1/4" BSPP	Aluminium	8	7	10	17
TLA2G	15.00	3/8" BSPP	Aluminium	10.5	7	13	22
TLA3G	17.00	1/2" BSPP	Aluminium	11	9	16	27
TLA4G	19.00	3/4" BSPP	Aluminium	12	9	21	32
TLA5G	27.00	1" BSPP	Aluminium	15.5	10	27	40
TLA6G	52.00	1.1/4" BSPP	Aluminium	15	10	37	40
TLA7G	59.00	1.1/2" BSPP	Aluminium	15	10	40	55
TLA8G	115.00	2" BSPP	Aluminium	17	14	50	70

Sight Gauges

Part #	List Price \$	Material	A	Dimensions mm	
				B	F
SG38	15.00	Steel	3/8" BSPP	10	22
SG12	18.00	Steel	1/2" BSPP	14	25
SG34	21.00	Steel	3/4" BSPP	20	32
SG1	24.00	Steel	1" BSPP	24	38
SG114	31.00	Steel	1.1/4" BSPP	33	44
SG112	35.00	Steel	1.1/2" BSPP	39	55



SG



SGWN



Sight Gauge Weld Flanges

Part #	List Price \$	Material	Thread	Dimensions mm				
				A	B	C	D	E
SGWN38	11.00	Steel	3/8" BSPP	38.10	23.62	14.22	7.87	25.40
SGWN12	11.00	Steel	1/2" BSPP	54.10	35.05	17.52	11.17	36.57
SGWN34	17.00	Steel	3/4" BSPP	54.10	35.05	17.52	11.17	36.57
SGWN1	21.00	Steel	1" BSPP	60.45	42.16	19.05	12.70	44.45
SGWN114	25.00	Steel	1.1/4" BSPP	68.32	50.80	19.05	12.70	54.10
SGWN112	31.00	Steel	1.1/2" BSPP	76.20	57.15	21.74	19.05	60.45




Flanged Vertical Level Gauge

Part #	List Price \$	Material	Dimensions mm							
			L	R	l	r	V1	V2	h	α
LVF-60	162.00	Aluminium	60	45	28	35	39	18	11.5	4
LVF-80	192.00	Aluminium	80	45	45	35	59	18	11.5	4
LVF-100	203.00	Aluminium	100	45	35	35	78	18	11.5	4




Inspection Port Hole

Part #	List Price \$	Material	Dimensions mm			
			f	t	v	e
OBLO-100	193.00	Aluminium housing	100	150	130	19.5
OBLO-148	263.00	Aluminium housing	148	202	180	21.5



OLBO-100





OLBO-148

Vertical Level Indicator (Float System)


Part #	List Price \$	Material	Dimensions mm				
			L	d	h	l	r
LGF681	220.00	Aluminium flange cover	200	80	16	203	68
LGF682	223.00	Aluminium flange cover	250	80	16	253	68
LGF683	224.00	Aluminium flange cover	300	80	16	303	68
LGF684	226.00	Aluminium flange cover	350	80	16	353	68
LGF685	228.00	Aluminium flange cover	400	80	16	403	68

Note: When choosing length, the gauge must not be below the pump section



Level Gauge


Part #	List Price \$	Material	Dimensions mm									
			a	L	b	e	q	d	c	f	l	
GLV1G	217.00	Aluminium	3/8" BSPP	500	40	22	30	22	43	10	530	
GLV2G	258.00	Aluminium	3/8" BSPP	1000	40	22	30	22	43	10	1030	
GLV-2ODAD20A	1.00	Backing nuts to suit 3/8" BSPP thread (sold individually)										




Level Gauge

Part #	List Price \$	Size	Type	Dimensions mm					
				A	B	C	D	F	M
LG1	36.00	3" / 76mm	Level	76.2	32	23	35	111	M10
LGT1	43.00	3" / 76mm	Level - Temperature	76.2	32	23	35	111	M10
LG2	40.00	5" / 127mm	Level	127	76	23	35	162	M12
LGT2	46.00	5" / 127mm	Level - Temperature	127	76	23	35	162	M12
LG3	63.00	10" / 254mm	Level	254	200	23	35	289	M12
LGT3	69.00	10" / 254mm	Level - Temperature	254	200	23	35	289	M12

3" / 5"



10"



LG1



LGT2



LGT3


Electrical Level Gauge

Part #	List Price \$	Material	Dimensions mm							
			a	L	e	q	d	c	f	l
GLVE1G	398.00	Aluminium	3/8" BSPP	500	22	30	22	43	10	530
GLVE2G	446.00	Aluminium	3/8" BSPP	1000	22	30	22	43	10	1030
GLV-20DAD20A	1.00	Backing nuts to suit 3/8" BSPP thread (sold individually)								



Electrical Information

Contact	N / O
Sensing	Min & max oil level
AC	140v AC
DC	200v DC
Amps	0.5a
Watts	10w




Electrical Level Gauge

Part #	List Price \$	Material	Dimensions mm									
			L	r	v	C	i	f	h	a	b	s
PLE2	357.00	Aluminium	160	34	88	16.5	127	M12	21.5	16	29	59
PLE3	423.00	Aluminium	287	34	215	16.5	254	M12	21.5	16	29	59

Electrical Information


Contact	N / O
Sensing	Min oil level
Lead Length	2500mm
AC	250v AC
DC	250v DC
Amps	0.5a
IP	IP67





Electrical Level Gauge

Part #	List Price \$	Size	Description	Dimensions mm		
				M	A	H
LVK10AM121SSP01	413.00	3"	Low level - N/O switch	M12	76	108
LVK10AM121PSP01	710.00	3"	Low level - N/O switch, PT100 temp sensor	M12	76	108
LVK20AM121SSP01	446.00	5"	Low level - N/O switch	M12	127	159
LVK20AM121PSP01	743.00	5"	Low level - N/O switch, PT100 temp sensor	M12	127	159
LVK20AM121T2P01	710.00	5"	Low level - N/O switch, 60° NO temp sensor	M12	127	159
LVK30AM121SSP01	611.00	10"	Low level - N/O switch	M12	254	286
LVK30AM121PSP01	908.00	10"	Low level - N/O switch, PT100 temp sensor	M12	254	286
LVK30AM121T2P01	875.00	10"	Low level - N/O switch, 60° NO temp sensor	M12	254	286
LVK30AM121T3P01	875.00	10"	Low level - N/O switch, 70° NO temp sensor	M12	254	286
TV12	332.00	Visual temperature gauge				


Reservoir holes




Sensor thermometer



SS type



PS type



T2 type



3"



5"



10"



TV12